

**From:** [hpatno@usbr.gov](mailto:hpatno@usbr.gov) on behalf of [Patno, Heather](#)  
**To:** [Heather Patno](#)  
**Subject:** Flaming Gorge Notification - July 24, 2014 - REVISED  
**Date:** Friday, July 25, 2014 2:50:00 PM  
**Attachments:** [image.png](#)  
[FG 2014-07-25a.pdf](#)

---

Hello:

Western Area Power Administration has a line outage on Monday, July 28, 2014. Therefore, the Flaming Gorge release schedule shall be shifted to begin on Tuesday, July 29, 2014, according to the attached schedule.

~~~~~

Current Yampa River at Deerlodge flows are 770 cfs, Green River at Jensen, Utah average daily flow is 2,700 cfs and Flaming Gorge average daily release is approximately 1,700 cfs. Yampa River flows are forecasted to decrease to 300-400 cfs beginning July 28, 2014. The targeted average daily base flow on the Green River at Jensen, Utah is 2,400 cfs through September 30, 2014.

Therefore, in order to maintain 2,400 cfs daily average flow on the Green River at Jensen, Utah, **Flaming Gorge** releases will be increased to an average daily release of 2,000 cfs. The increase will begin on **Tuesday, July 29, 2014**, according to the attached schedule. After the final change on **Sunday, August 3, 2014**, releases will remain at an average daily release rate of 2,000 cfs until further notice.

This **notification** supersedes all previously-issued **notifications** and is current until a new one is issued. All times identified are local time Mountain Daylight Time and not hour ending.

**Flaming Gorge** information for the last five days can be found below. All data is provisional and subject to change.

| Date     | Elevation (ft) | Release (cfs) | Inflow (cfs) | Storage (acre-ft) |
|----------|----------------|---------------|--------------|-------------------|
| 07/20/14 | 6,028.43       | 1,686         | 1,504        | 3,288,834         |
| 07/21/14 | 6,028.45       | 1,687         | 2,303        | 3,289,595         |
| 07/22/14 | 6,028.45       | 1,684         | 1,901        | 3,289,595         |
| 07/23/14 | 6,028.43       | 1,687         | 1,503        | 3,288,834         |
| 07/24/14 | 6,028.45       | 1,686         | 2,300        | 3,289,595         |

Additional information can be found here: [http://www.usbr.gov/uc/water/rsrvs/ops/crsp\\_40\\_fgd.html](http://www.usbr.gov/uc/water/rsrvs/ops/crsp_40_fgd.html)

Regards,

Heather Patno

Hydrologic Engineer

Upper Colorado Region

Bureau of Reclamation

Ph: 801-524-3883

# RECLAMATION

*Managing Water in the West*

Flaming Gorge Dam Release Schedule

| Time (MDT)     | Total Release (cfs) | | | | | |
|---|---|---|---|---|---|---|
|                | 7/29/2014           | 7/30/2014           | 7/31/2014           | 8/1/2014            | 8/2/2014            | 8/3/2014            |
| 0:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 1:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 2:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 3:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 4:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 5:00           | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 6:00           | 1,690               | 1,660               | 1,690               | 1,720               | 1,870               | 1,870               |
| 7:00           | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 8:00           | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 9:00           | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 10:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 11:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 12:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 13:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 14:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 15:00          | 1,690               | 1,750               | 1,810               | 1,870               | 1,870               | 1,930               |
| 16:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 17:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 18:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 19:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 20:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 21:00          | 2,300               | 2,330               | 2,390               | 2,460               | 2,550               | 2,580               |
| 22:00          | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| 23:00          | 1,410               | 1,470               | 1,500               | 1,530               | 1,600               | 1,660               |
| <b>Average</b> | <b>1,750</b>        | <b>1,800</b>        | <b>1,850</b>        | <b>1,900</b>        | <b>1,950</b>        | <b>2,000</b>        |

Hourly release schedules are an approximation of releases.  
All data is provisional and subject to change.

7/25/2014